



Lyofast Y 450 B

Description

Lyofast Y 450 B consists of specifically selected strains of a mild acidifying *Lactobacillus delbrueckii* ssp. *bulgaricus* and of a fast acidifying *Streptococcus thermophilus* which produces EPS enhancing viscosity.

Lyofast Y 450 B ensures a uniform and controlled production of very mild set and stirred yoghurt with high viscosity.

Application

Sprinkle the culture powder directly into process milk under aseptic conditions ensuring that the culture is well dispersed by gentle stirring. The following may be used as inoculation guidelines:

Product	UC/100 I	Product	UC/100 I
Yoghurt, short set	2.0-4.0	Yoghurt, long set	0.5-1.0


Rotation

The recommended rotations are Lyofast Y 452 B/Y 456 B.

Acidification information

Standardised laboratory acidification test is conducted in milk powder, reconstituted at 9%, at defined temperature.

Acidification profile: inoculation level corresponding to 1 UC per 100 litres milk. Standard activity: expressed as temperature/time/pH relations: 43° C/7 hours/pH 4.5 ± 0.15 .



Culture information

Data are obtained under standardised laboratory conditions, and consequently, should be considered as guidelines.

Optimal temperature for growth	43°C	Urease activity	+
Acidification capability	pH 4.1	Texture formation	5.8 ± 1 sec/g
Aroma formation for yoghurt	+(+)	Post-acidification	Δ pH 0.32

Storage

Unopened pouches should be kept below -17°C.

M91Y450B/5/UK/0 Issue: 23/03/2009 Rev 5 of 06/10/2017 1/2





Lyofast Y 450 B

Package data The freeze-dried culture is packed in waterproof and airproof aluminium pouches. The

packaging material is food grade.

Shelf life 18 months when stored below -17°C.

Heavy metal
specificationPb (lead)
Hg (mercury)
Cd (cadmium)< 1 ppm
< 0.03 ppm
< 0.1 ppm</th>

Analysed on regular basis.

Microbiological specification

Bacillus cereus <100 CFU/q Method: Sacco M10 (1) Coagulase positive staphylococci* <10 CFU/q Method: Sacco M11 (2) Enterobacteriaceae <10 CFU/q Method: Sacco M02 (3) Escherichia coli <1 CFU/g Method: Sacco M27 (4) Not detected in 25 g Listeria monocytogenes* Method: Sacco M13 (5) Method: Sacco M03 (6) Moulds & yeasts <10 CFU/q Method: Sacco M12 (7) Salmonella spp.* Not detected in 25 g

* Analysed on regular basis. All analytical methods are available upon request.

(1)ISO 7932; (2)ISO 6888-1-2; (3)ISO 21528-1-2; (4)ISO11866-1-2/IDF 170-1-2; (5)ISO 11290-1-2; (6)ISO

6611/IDF 94; (7)ISO 6785/IDF 93.

GMO Sacco microorganisms are not genetically modified (GMO) in accordance with the

European Directive 2001/18/EC. The strains are isolated from natural sources. In accordance with Regulation (EC) No. 1829/2003 and Regulation (EC) No. 1830/2003 this product does not require labelling with regard to the use of genetically modified

organisms.

Allergens The raw materials used are generally based on dairy ingredients. All materials are free

of the following components and their derivatives: cereals containing gluten,

crustaceans, eggs, fish, peanuts, soybeans, nuts, celery, mustard, sesame seeds,

shellfish, lupine, molluscs, sulphur dioxide and sulphites.

Safety information Material Safety Data Sheet available on www.saccosystem.com.

Certificate Lot certificate available upon request.

Certifications Sacco S.r.l. is UNI EN ISO 9001:2008 certified since 1998, ISO 22000:2005 and FSSC

22000 certified since 2014. Sacco cultures are generally Kosher and Halal approved

except for surface ripening cultures.

Service Please contact your distributor for guidance and instructions for your choice of culture

and processing. Information about additional package sizes and sales units is also

available upon request.

Liability This information is based on our knowledge trustworthy and presented in good faith. No

guarantee against patent infringement is implied or inferred.

M91Y450B/5/UK/0 Issue: 23/03/2009 Rev 5 of 06/10/2017 2/2